

Product Data

Part No: 2119101



EMX4i Full Featured Protected Chassis Soft Starter (10HP, 230V / 20HP, 460V STD Duty)

Extended Part No:
EMX4i-0042B-V5-C1-H

Advanced chassis soft solid state starter with built-in bypass, 350% current for 30 seconds (standard duty), 450% for 30 seconds (heavy duty), line voltage 200- 525 volts AC.

Standard Duty:10HP, 230V / 20HP, 460V

Heavy Duty: 7.5HP, 230V / 15HP, 460V - 22A max



Benshaw EMX4i Low Voltage Soft Starters make life easier with intuitive display and connectivity functions. Access the right information when you need it through the on-board graphical display/HMI or use the built-in USB port for easy data retrieval.

The EMX4i is a full featured soft starter with standard and heavy-duty ratings up to 1200A. With one of the smallest footprints on the market, the EMX4i soft starter doesn't skimp on features. Integral bypass and full motor protection are standard. This "smart" soft starter features quick application set up for easy commissioning, automatic timers and schedules (no need for external logic or times) and reliable operation with the PowerThrough and Emergency Mode functions.

All EMX4i chassis soft starters are available for immediate shipment and include Benshaw's exclusive three-year warranty. Simple set up and commissioning. 120v control power required.

**Benshaw, Inc.**

615 Alpha Drive
Pittsburgh, PA 15238 United States
Toll Free: 1-800-441-8235
Phone: 412-968-0100
Fax: 412-968-5415
Benshaw.com

Specifications subject to change without notice. | Copyright © Benshaw, Inc. | All rights reserved.